

**Pure Hydration,
Smart Innovation**



AQUA STAR



Water Dispensers Catalogue

About Us

Aqua Star is a leading name in water dispensers and cooling systems, trusted for delivering pure, safe, and refreshing hydration solutions across homes, offices, schools, hospitals, and commercial spaces. With a strong commitment to health, technology, and design, we ensure that every sip of water meets the highest standards of quality and convenience.

Why Choose Aqua Star?



Pure Water

Advanced optional filtration systems guarantee clean and safe drinking water.



Hot & Cold Options

Instant access to hot, cold, or room-temperature water for every need.



Durable Design

Crafted with premium, long-lasting materials for years of reliable use.



Energy Efficient

Eco-friendly technology with low power consumption.



Safe to Use

Child safety locks and anti-spill systems offer added protection.



Low Maintenance

Designed for easy cleaning, refilling, and operation.

We believe that clean water is essential to a healthy life, and our products reflect that philosophy—combining style, innovation, and functionality. Whether for your home or business, Aqua Star is the perfect partner for hassle-free hydration.

Our Certifications



Made in India



Economy Series

Series AS 13

Model: 13

Dimensions	: 270 x 370 x 870 mm
Packaging Dimensions	: 328 x 357 x 915 mm
Stuffing Capacity	: 795
Taps	: 3 Tap (With Single Outlet)
Color Options	: White, Maroon, Silver, Black



Standard Series

Series AS 18

Models Available: TT | FS | FSC | FSR

(TT = Table Top, FS = Floor Standing, FSC = With Storage Cabinet, FSR = With Refrigerator)

			
3 Ltrs/hr	5 Ltrs/hr	20 Ltrs	230V, 50Hz, 1Ph
Cooling Capacity	Heating Capacity	Storage	Operating Voltage



Model: AS 18

Models Available: TT | FS | FSC | FSR

Dimensions (TT)	: 310 x 330 x 490 mm
Dimensions (FS, FSC, FSR)	: 300 x 330 x 940 mm
Packaging (FS)	: Export: 330 x 350 x 975 mm Domestic: 357 x 385 x 990 mm
Packaging (TT)	: Export: 330 x 360 x 525 mm Domestic: 357 x 385 x 540 mm
Stuffing Capacity	: 973 (TT), 620 (others)
Taps	: 2 Tap with Child Lock
Color Options	: White, Maroon, Silver, Black



Model: AS 18 A

Models Available: TT | FS | FSC | FSR

Dimensions (TT)	: 310 x 330 x 490 mm
Dimensions (FS, FSC, FSR)	: 300 x 330 x 940 mm
Packaging (FS)	: Export: 330 x 350 x 975 mm Domestic: 357 x 385 x 990 mm
Packaging (TT)	: Export: 330 x 360 x 525 mm Domestic: 357 x 385 x 540 mm
Stuffing Capacity	: 973 (TT), 620 (others)
Taps	: 2 Tap with Color Option
Color Options	: White, Maroon, Silver, Black



Model: AS 18 B

Models Available: TT | FS | FSC | FSR

Dimensions (TT)	: 310 x 330 x 490 mm
Dimensions (FS, FSC, FSR)	: 300 x 330 x 940 mm
Packaging (FS)	: Export: 330 x 350 x 975 mm Domestic: 357 x 385 x 990 mm
Packaging (TT)	: Export: 330 x 360 x 525 mm Domestic: 357 x 385 x 540 mm
Stuffing Capacity	: 973 (TT), 620 (others)
Taps	: 3 Tap with Child Lock
Color Options	: White, Maroon, Silver, Black



Model: AS 18 D

Models Available: TT | FS | FSC | FSR

Dimensions (TT)	: 310 x 330 x 490 mm
Dimensions (FS, FSC, FSR)	: 300 x 330 x 940 mm
Packaging (FS)	: Export: 330 x 350 x 975 mm Domestic: 357 x 385 x 990 mm
Packaging (TT)	: Export: 330 x 360 x 525 mm Domestic: 357 x 385 x 540 mm
Stuffing Capacity	: 973 (TT), 620 (others)
Taps	: 3 Tap with Color Option
Color Options	: White, Maroon, Silver, Black



Model: AS 18 U

Models Available: TT | FS | FSC | FSR

Dimensions (TT)	: 310 x 330 x 490 mm
Dimensions (FS, FSC, FSR)	: 300 x 330 x 940 mm
Packaging (FS)	: Export: 330 x 350 x 975 mm Domestic: 357 x 385 x 990 mm
Packaging (TT)	: Export: 330 x 350 x 975 mm Domestic: 357 x 385 x 990 mm
Stuffing Capacity	: 973 (TT), 620 (FS, FSC, FSR)
Taps	: 3 Tap with Child Lock
Color Options	: White, Maroon, Silver, Black



Series AS 29

Models Available

TT | FS | FSC | FSR
Bottom Loading

TT = Table Top
FS = Floor Standing
FSC = With Storage Cabinet
FSR = With Cooling Cabinet



3 Ltrs/hr
Cooling Capacity



5 Ltrs/hr
Heating Capacity



20 Ltrs
Storage



230V, 50Hz, 1Ph
Operating Voltage



Model: AS 29 A

Models Available: TT | FS | FSC | FSR

Dimensions (TT)	: 310 x 330 x 490 mm
Dimensions (FS, FSC, FSR)	: 310 x 330 x 940 mm
Packaging Dimensions (FS, FSC, FSR)	: Export – 330 x 350 x 975 mm Domestic – 357 x 385 x 990 mm
Packaging Dimensions (TT)	: Export – 330 x 360 x 525 mm Domestic – 357 x 385 x 540 mm
Stuffing Capacity	: 973 (TT), 620 (FS, FSC, FSR)
Taps	: 2 Tap With Color Option
Color Options	: White, Maroon, Silver, Black



Model: AS 29 B

Models Available: TT | FS | FSC | FSR

Dimensions (TT)	: 310 x 330 x 490 mm
Dimensions (FS, FSC, FSR)	: 310 x 330 x 940 mm
Packaging Dimensions	
(FS, FSC, FSR)	: Export – 330 x 350 x 975 mm Domestic – 357 x 385 x 990 mm
Packaging Dimensions (TT)	: Export – 330 x 360 x 525 mm Domestic – 357 x 385 x 540 mm
Stuffing Capacity	: 973 (TT), 620 (FS, FSC, FSR)
Taps	: 3 Tap With Child Lock
Color Options	: White, Maroon, Silver, Black



Model: AS 29 C

Models Available: TT | FS | FSC | FSR

Dimensions (TT)	: 360 x 330 x 525 mm
Dimensions (FS, FSC, FSR)	: 350 x 330 x 975 mm
Packaging Dimensions	
(FS, FSC, FSR)	: Export – 330 x 350 x 975 mm Domestic – 357 x 385 x 990 mm
Packaging Dimensions (TT)	: Export – 330 x 360 x 525 mm Domestic – 357 x 385 x 540 mm
Stuffing Capacity	: 973 (TT), 620 (FS, FSC, FSR)
Taps	: 3 Tap With Child Lock
Color Options	: White, Maroon, Silver, Black



Premium Series Series AS 21

Models Available: TT | FS | FSC | FSR | Bottom Loading

TT = Table Top, FS = Floor Standing
FSC = With Storage Cabinet
FSR = With Cooling Cabinet



3 Ltrs/hr
Cooling Capacity



5 Ltrs/hr
Heating Capacity



20 Ltrs
Storage



230V, 50Hz, 1Ph
Operating Voltage



Model: AS 21 A

Models Available: TT | FS | FSC | FSR | Bottom Loading

Dimensions (TT)	: 320 x 400 x 560 mm
Dimensions (FS, FSC, FSR)	: 320 x 400 x 1010 mm
Packaging Dimensions (FS, FSC, FSR)	: Export – 330 x 350 x 1035 mm Domestic – 357 x 413 x 1045 mm
Packaging Dimensions (TT)	: Export – 330 x 360 x 525 mm Domestic – 357 x 385 x 540 mm
Stuffing Capacity	: 880 TT 530 FS, FSC, FSR
Taps	: 3 Tap With Child Lock
Color Options	: White, Maroon, Silver, Black



Model: AS 21 A+

Models Available: TT | FS | FSC | FSR

Dimensions (TT)	: 320 x 400 x 560 mm
Dimensions (FS, FSC, FSR)	: 320 x 400 x 1010 mm
Packaging Dimensions (FS, FSC, FSR)	: Export – 330 x 350 x 1035 mm Domestic – 357 x 413 x 1045 mm
Packaging Dimensions (TT)	: Export – 330 x 360 x 585 mm Domestic – 357 x 413 x 600 mm
Stuffing Capacity	: 880 TT 530 FS, FSC, FSR
Taps	: 3 Tap With Child Lock
Color Options	: White, Maroon, Silver, Black



Model: AS 21 C

Models Available: TT | FS | FSC | FSR

Dimensions (TT)	: 310 x 360 x 556 mm
Dimensions (FS, FSC, FSR)	: 320 x 360 x 1002 mm
Packaging Dimensions (FS, FSC, FSR)	: Export – 330 x 350 x 1035 mm Domestic – 357 x 413 x 1045 mm
Packaging Dimensions (TT)	: Export – 330 x 360 x 585 mm Domestic – 357 x 413 x 600 mm
Stuffing Capacity	: 880 TT 530 FS, FSC, FSR
Taps	: 3 Tap With Child Lock
Color Options	: White, Maroon, Silver, Black



Model: AS 21 D

Models Available: TT | FS | FSC | FSR

Dimensions (TT)	: 310 x 400 x 575 mm
Dimensions (FS, FSC, FSR)	: 320 x 400 x 1020 mm
Packaging Dimensions (FS, FSC, FSR)	: Export – 330 x 350 x 1035 mm Domestic – 357 x 413 x 1045 mm
Packaging Dimensions (TT)	: Export – 330 x 360 x 585 mm Domestic – 357 x 413 x 600 mm
Stuffing Capacity	: 880 TT 530 FS, FSC, FSR
Taps	: 3 Tap With Child Lock
Color Options	: White, Maroon, Silver, Black



Model: AS 21 F

Models Available: TT | FS | FSC | FSR

Dimensions (TT)	: 360 x 330 x 585 mm
Dimensions (FS, FSC, FSR)	: 350 x 330 x 1035 mm
Packaging Dimensions (FS, FSC, FSR)	: Export – 330 x 350 x 1035 mm Domestic – 357 x 413 x 1045 mm
Packaging Dimensions (TT)	: Export – 330 x 360 x 585 mm Domestic – 357 x 413 x 600 mm
Stuffing Capacity	: 880 TT 530 FS, FSC, FSR
Taps	: 2 Tap With Color Option
Color Options	: White, Maroon, Silver, Black



**Designed for Life.
Delivered with Purity**

www.aquastarmena.com



Model: AS 21 E

Models Available: TT | FS | FSC | FSR | Bottom Loading

Dimensions (TT)	: 320 x 345 x 560 mm
Dimensions (FS, FSC, FSR)	: 320 x 345 x 1010 mm
Packaging Dimensions (FS, FSC, FSR)	: Export – 330 x 350 x 1035 mm Domestic – 357 x 413 x 1045 mm
Packaging Dimensions (TT)	: Export – 330 x 360 x 585 mm Domestic – 357 x 413 x 600 mm
Stuffing Capacity	: 880 TT 530 FS, FSC, FSR
Taps	: 3 Tap With Child Lock
Color Options	: White, Maroon, Silver, Black

Lifestyle Series



Model: AS 21 E+

Models Available: TT | FS | FSC | FSR | Bottom Loading

Dimensions (TT)	: 310 x 360 x 556 mm
Dimensions (FS, FSC, FSR)	: 320 x 360 x 1010 mm
Packaging Dimensions (FS, FSC, FSR)	: Export – 330 x 350 x 1035 mm Domestic – 357 x 413 x 1045 mm
Packaging Dimensions (TT)	: Export – 330 x 360 x 585 mm Domestic – 357 x 413 x 600 mm
Stuffing Capacity	: 880 TT 530 FS, FSC, FSR
Taps	: 3 Tap With Child Lock
Color Options	: White, Maroon, Silver, Black



Model: AS 21 E Super

Models Available: TT | FS | FSC | FSR | Bottom Loading

Dimensions (TT)	: 310 x 360 x 556 mm
Dimensions (FS, FSC, FSR)	: 320 x 360 x 1010 mm
Packaging Dimensions (FS, FSC, FSR)	: Export – 330 x 350 x 1035 mm Domestic – 357 x 413 x 1045 mm
Packaging Dimensions (TT)	: Export – 330 x 360 x 585 mm Domestic – 357 x 413 x 600 mm
Stuffing Capacity	: 880 TT 530 FS, FSC, FSR
Taps	: 2 Tap With Child Lock
Color Options	: White, Maroon, Silver, Black



Bottom Loading Dispensers

Models with Bottom Loading Options

Model 21 A Model 21E +
Model 21ESuper Model 21E



Series AS 27

Model: AS 27

Type	Floor Standing
Dimensions	312 x 447 x 1200 mm
Packaging Dimension	328 x 452 x 1185 mm
Stuffing Capacity	370
Taps	2 Tap With Child Lock
Color Options	Black, White



Series AS 45

Model: AS 45

Type	Floor Standing
Dimensions	270 x 440 x 1140 mm
Packaging Dimension	328 x 497 x 1185 mm
Stuffing Capacity	370
Taps	2 Tap With Child Lock
Color Options	Black, White



Additional Accessories

- Manual Dispenser
- Cup Dispenser
- Inline Kit
- Matka Dispenser
- Water Pump



Dispenser In-Built RO Purifier



3 Ltrs/hr
Cooling Capacity



5 Ltrs/hr
Heating Capacity



20 Ltrs
Storage



230V, 50Hz, 1Ph
Operating Voltage


Model MIDI

Models Available	: Table Top (TT)
Dimensions (TT)	: 330 x 427 x 495 mm
Taps	: 2
Filtration Process	: 5 Stage Filtration Process



Model SOFTY

Models Available	: Wall Mounted
Dimensions (FS)	: 620 x 460 x 250 mm
Taps	: 2
Filtration Process	: 4 Stage RO Purification System



Model MAXI

Models Available	: Floor Standing (FS)
Dimensions (FS)	: 320 x 380 x 980 mm
Taps	: 3





AQUA STAR

Dubai Office

SF-50, 2nd Floor
Dubai Shopping Center
Deira, Dubai, UAE
P.O. Box: 98925

Mob: +971 55 547 5831
Tel: +971 4 576 9428

Oman Office

Gala, Muscat, Sultanate of Oman
☎ +968 9928 9075 , +968 7999 4853

Service Center

Shop no.7815A, 1294/412 street
Behind Lulu Hyper Market
Al Amrat ,Muscat
Sultanate of Oman

☎ +968 9928 9075
☎ +968 7999 4853